



2288-C

Line Array Loudspeaker System

Front View




Side View



2288 C PRODUCT FEATURES :

- TYPE : TRIANGLE LINE ARRAY LOUDSPEAKER SYSTEM
- ENCLOSURE : TWO WAY SYSTEM
- COMPONENTS : LF 2 x 8" MID BASS HIGH POWER WOOFER WITH WAVE POINT DESIGN
HF 2 x 2" DRIVER WITH CONSTANT DIRECTIVITY LONG HORN
- POWER HANDLING : LF RMS 350 w - peak 700 w - program 1400 w
HF RMS 100 w - peak 200 w - program 400 w
- NOMINAL IMPEDANCE : LF 8 ohm
HF 16 ohm
- FREQUENCY RESPONSE : LF 120 kHz - 7 kHz
HF 3 kHz - 19 kHz
- SENSITIVITY : 1W @ 1m LF 101 dB - HF 103 dB
peak SPL : LF 134 dB - HF 143 dB
- DIRECTIVITY DISPERSION ANGLE : HORIZONTAL 120 degrees
VERTICAL 15 to 60 degrees VARIABLE
- INPUT CONNECTIONS : 2 x NL 4 MP - 4 pole speakon passive loop thru with two solun protector
- FLYING FITTING : 4 x STEEL ANCHOR POINTS FOR CHANGEABLE DISPERSION
- WEIGHT (Kg) : 34




Hardcase



2288-C

Dimension

Side



Front View

