



3388-C

Line Array Loudspeaker System


Front View



3388 C PRODUCT FEATURES

- TYPE : RECTANGLE LINE ARRAY LOUDSPEAKER SYSTEM
- ENCLOSURE : THREE WAY SYSTEM
- COMPONENT : LF 2 x 12" HIGH POWER OUTPUT WOOFER
MF 4 x 6.5" HIGH POWER MIDDLE
HF 2 x 3" DRIVER WITH CONSTANT DIRECTIVITY LONG HORN
- POWER HANDLING : LF RMS 800w - peak 1600w - program 3200w
MFRMS 400w - peak 800w - program 1600w
HFRMS 200w - peak 400w - program 800w
- NOMINAL IMPEDANCE : LF 8 ohm
MF 8 ohm
HF 16 ohm
- FREQUENCY RESPONSE : LF 60 Hz - 500 Hz
MF 260 Hz - 3,5 kHz
HF 1,5 kHz - 17 kHz
- SENSITIVITY : 1W @ 1m : LF 100 dB - MF 101dB - HF 113db
peak SPL : LF 139 dB - MF 143 dB - HF 144 db
- DIRECTIVITY DISPERSION ANGLE : HORIZONTAL 120 degrees
VERTICAL 15 to 60 degrees VARIABLE
- INPUT CONNECTIONS : 2 x NL 8 MP - 8 pole speakon passive loop thru with three solun protector
- FLYING FITTING : 4 x STEEL ANCHOR POINTS FOR CHANGEABLE DISPERSION
- WEIGHT (Kg) : 93

Application Illustration : Large Live Show Music Concert



3388-C

Front View

Dimension

